

# **MATERIALS DIVISION PUBLICATIONS & PATENTS 2000**



**John H. Glenn Research Center  
at Lewis Field  
Cleveland, Ohio**

1. Roth, D. J.; Kautz, H. E.; Abel, P. B.; Whalen, M. F.; Hendricks, J. L.; and Bodis, J. R.: New Technology—Large-Area Three-Dimensional Surface Profiling Using Only Focused Air-Coupled Ultrasound—Given 1999 R&D Award. *Research & Technology* 1999, NASA/TM—2000-209639, April 2000, pp. 107.
2. Alston, W. B. and Gahn, G. S.: Composition and Process for Retarding the Premature Aging of PMR Monomer Solutions and PMR Prepregs. United States Patent, No. 6,103,864, Aug. 15, 2000.
3. Alston, W. B. and Scheiman, D. A.: Shelf Life of PMR Polyimide Monomer Solutions and Prepregs Extended. *Research & Technology* 1999, NASA/TM—2000-209639, April 2000, pp. 19-20.
4. Alston, W. B.; Scheiman, D. A.; and Sivko, G.: Second Generation Type PMR Solution and Prepreg Stability Study using an Alternative Isopropyl Ester Approach. USAF sponsored High Temple Workshop XX, Jan. 24-27, 2000, San Diego, Calif., pp. J1 to J11.
5. Alston, W. B.; Scheiman, D. A.; and Sivko, G. S.: Extended Shelf Life for PMR Polyimide Resins and Prepregs. *NASA Tech Briefs*, Sept. 2000.
6. Alston, W. B.; Sivko, G.; and Scheiman, D.: PMRs Have Longer Lives. *R&D Magazine*, Sept. 2000, p. 130.
7. Angel, P. W.: Near-Net-Shape Processing of Sintered Fibrous Ceramics Achieved. *Research & Technology* 1999, pp. 23-24. Also NASA/TM—2000-209639, April 2000.
8. Bansal, N. P. and Setlock, J. A.: Fabrication of Fiber-Reinforced Celsian Matrix Composites. Presented at “Processing of Fibers and Composites,” Castelvecchio Pascoli, Italy, May 21-26, 2000. NASA/TM—2000-210216, June 2000.
9. Bansal, N. P. and Singh, J. P., (Eds.): Innovative Processing and Synthesis of Ceramics, Glasses and Composites IV. *Ceramic Transactions*, vol. 115, The American Ceramic Society, Westerville, Ohio (2000) 670 pp.
10. Bansal, N. P.; Singh, J. P.; and Ustundag, E., Eds.: Advances in Ceramic Matrix Composites V, Am. Ceram. Soc., Westerville, Ohio. *Ceramic Transactions*, vol. 103, 615 pp. (2000).
11. Bansal, N. P.; Wheeler, D. R.; and Chen, Y. L.: Mechanical, Chemical and Microstructural Characterization of Monazite-Coated Silicon Carbide Fibers. NASA/TM—2000-210208, June 2000.
12. Gouadec, G.; Colombar, P.; and Bansal, N. P.: Raman Study of the Phases and Residual Stress in Celsian Matrix Composites Reinforced with Uncoated or (p-BN/SiC)-Coated Hi-Nicalon Fibers. *Advances in Ceramic Matrix Composites VI* (J. P. Singh, N. P. Bansal, and E. Ustundag, Eds.), Am. Ceram. Soc., Westerville, Ohio, *Ceramic Transactions* (2000).

13. Gouadec, G.; Colomban, P.; and Bansal, N. P.: Raman Study of Uncoated and p-BN/SiC-Coated Hi-Nicalon Fiber-Reinforced Celsian Matrix Composites. Part 1: Distribution and Nanostructure of Different Phases. NASA/TM—2000-210349, Aug. 2000.
14. Goudec, G.; Colomban, P.; and Bansal, N. P.: Raman Study of Uncoated and p-BN/SiC-Coated Hi-Nicalon Fiber Reinforced Celsian Matrix Composites. Part 2: Residual Stress in the Fibers. NASA/TM—2000-210456, Sept. 2000.
15. Singh, J. P.; Bansal, N. P.; and Niihara, K., eds.: Innovative Processing and Synthesis of Ceramics, Glasses, and Composites III. Am. Ceram. Soc., Westerville, Ohio, Ceramic Transactions, vol. 108, p. 605 (2000).
16. Ünal, Ö. and Bansal, N. P.: In-Plane and Interlaminar Shear Strength of a Unidirectional Hi-Nicalon Fiber-Reinforced Celsian Matrix Composite. Presented at the Fall Meeting of Materials Research Society, Boston, Mass., Dec. 1998. NASA TM/2000—210608, Dec. 2000.
17. Bhatt, R. T.: Tensile Properties and Microstructural Characterization of Hi-Nicalon SiC/RBSN Composites. *Ceramics International* 26 (2000) 535-539.
18. Bhatt, R. T. and Hebsur, M. G.: Processing and Properties of SiC/MoSi<sub>2</sub>-SiC Composites Fabricated by Melt Infiltration. *Ceram. Eng. Sci. Proc.* 21 (3) 315 (2000). Journal of American Ceramic Society, April 2000. Also NASA/TM—2000-210033, May 2000.
19. Bhatt, R. T.; Gyekenyesi, J. Z.; and Hurst, J. B.: Silicon Effects on Properties of Melt Infiltrated SiC/SiC Composites. *Ceramic Eng. Sci. Proc.* 21 (3), p. 331 (2000). Also NASA/TM—2000-210034, May 2000.
20. Bhatt, R. T.; Hull, D. R.; Eldridge, J. I.; and Babuder, R.: Effects of Interface Coating and Nitride Enhancing Additive on Properties of Hi-Nicalon SiC Fiber Reinforced Reaction-Bonded Silicon Nitride Composites. NASA/TM—2000-210211, Sept. 2000.
21. Shala, A. R.; Murthy, P. L. N.; Mittal, S. K.; and Bhatt, R. T.: Probabilistic Modeling of Ceramic Matrix Composite Strength. *J. Composite Materials*, vol. 34, no. 8, pp. 670-688 (2000).
22. Bowles, K. J.: Thermal and Mechanical Durability of Graphite Fiber Reinforced PMR-15 Composites at Elevated Temperatures. 32nd International SAMPE Technical Conference, Nov. 5-9, 2000, pp. 838-853.
23. Bozzolo, G.; Noebe, R. D.; and Garces, J.: Atomistic Modeling of the Site Occupancy of Ti and Cu in NiAl. *Scripta Materialia* 42 (2000) 403-408.
24. Bozzolo, G. H. and Abel, P. B.: Atomistic Method Applied to Computational Modeling of Surface Alloys. *Research & Technology* 1999, NASA/TM—2000-209639, April 2000, pp. 16-17.

25. Bozzolo, G.; Noebe, R. D.; and Honecy, F. S.: Modeling of Ternary Element Site Substitution in NiAl. *Intermetallics*, vol. 8 (2000) 7-18.
26. Garces, J. E.; Bozzolo, G.; Abel, P.; and Mosca, H.: Atomistic Modeling of Pd/Cu(110) Surface Alloy Formation. *Appl. Surf. Sci.*, vol. 167, 18-33 (2000).
27. Garces, J. E.; Mosca, H.; and Bozzolo, G.: Atomistic Modeling of Pd/Cu(100) Surface Alloy Formation. *Surf. Sci.* 459 (2000) 365-389.
28. Mosca, H.; Garces, J. E.; and Bozzolo, G.: Surface Ternary Alloys of (Cu,Au)/Ni(110). *Surf. Sci.* 454-456 (2000) 701-711.
29. DiCarlo, J. A. and Yun, H. M.: Constituent-Based Life Models Being Developed for SiC/SiC Composites. *Research & Technology* 1999, NASA/TM—2000-209639, April 2000, pp. 11-12.
30. Murthy, P. L. N.; Mital, S. K.; and DiCarlo, J. A.: CEMCAN Software Enhanced for Predicting the Properties of Woven Ceramic Matrix Composites. *Research & Technology* 1999, NASA/TM—2000-209639, April 2000, pp. 104-105.
31. Austin, C.; Erdmann, O.; Kelly, T.; McAllister, K.; Allen, R.; Barrett, J.; Lu, M.; Ram, S.; Pepper, M.; Bristow, B.; Brewer, L.; Schell, J.; Draper, S.; Lerch, B.; and Nathal, M.: Affordable Processes for Manufacturing Gamma Titanium Aluminide Engine Components. Contract NCC3-416 - Final Report, June 2000.
32. Lerch, B. A.; Draper, S. L.; Baaklini, G. Y.; Pereira, J. M.; and Austin, C.: Damage Resistance of Titanium Aluminide Evaluated. *Research & Technology* 1999, NASA/TM—2000-209639, April 2000, pp. 103-104.
33. Eckel, A. J.: Silicon Nitride Rocket Thrusters Test Fired Successfully. *Research & Technology* 1999, NASA/TM—2000-209639, April 2000, p. 12.
34. Ellis, D. L. and Keller, D. J.: Thermophysical Properties of GRCop-84. NASA/CR—2000-210055, June 2000.
35. Farmer, S. C. and Sayir, A.: Directionally Solidified Ceramics Produced. *Research & Technology* 1999, p. 13. Also NASA/TM—2000-209639, April 2000.
36. Fox, D. S.; Opila, E. J.; and Hann, R. E.: Paralink Oxidation of CVD SiC in Simulated Fuel-Rich Combustion. *J. Am. Ceram. Soc.* 83 [7] 1761-67 (2000).
37. Gabb, T. P.; Backman, D. G.; Wei, D. Y.; Mourer, D. P.; Furrer, D.; Garg, A.; and Ellis, D. L.:  $\gamma$  Formation in a Nickel-Base Disk Superalloy. *Superalloys 2000*, pp. 405-414.
38. Gabb, T. P.; Bonacuse, P. J.; Ghosn, L. J.; Sweeney, J. W.; Chatterjee, A.; and Green, K. A.: Assessments of Low Cycle Fatigue Behavior of Powder Metallurgy Alloy U720. NASA/TM—2000-209418, 2000.

39. Gabb, T.; Gayda, J.; and Sweeney, J.: The Effect of Boron on the Low Cycle Fatigue Behavior of Disk Alloy KM4. NASA/TM—2000-210458, Sept. 2000.
40. Prevéy, P. S.; Telesman, J.; Gabb, T.; and Kantzios, P.: FOD Resistance and Fatigue Crack Arrest in Low Plasticity Burnished IN718. Proceedings of the 5th National Turbine Engine High Cycle Fatigue Conference, Chandler, Ariz., 2000.
41. Gariepy, C. A.; Meador, M. A.; Meador, M. A. B.; and Eby, R. K.: Optimization of Melt Processable PMR-Type Polyimides. *Polymer Preprints* 2000, 4(1) 369-370.
42. Gayda, J.: The Effect of Stabilization Heat Treatments on the Tensile and Creep Behavior of an Advanced Nickel-Based Disk Alloy. NASA TM-TBD (number to be assigned upon end of restriction), May 2000.
43. Gayda, J.: Fatigue Characterization of Alloy 10: A 1300F Disk Alloy for Small Gas Turbine Engines. NASA/TM—2000-210576, Nov. 2000.
44. Gayda, J.; Kantzios, P.; and Telesman, J.: The Effect of Heat Treatment on the Fatigue Behavior of Alloy 10. NASA TM-TBD (number to be assigned upon end of restriction), February 2000.
45. Goldsby, J. and Halbig, M. C.: Electric Plasma Arc-Lamp Combustor Liner Durability Test System Developed. *Research & Technology* 1999, NASA/TM—2000-209639, April 2000, p. 14.
46. Goldsby, J. C.: Micromechanical and Electrical Properties of Monolithic Aluminum Nitride at High Temperatures. NASA/TM—2000-210471, Oct. 2000.
47. Goldsby, J. C.: Temperature-Dependent Elastic and Anelastic Behavior of Silicon-Based Fiber-Reinforced Silicon Carbide Ceramic Matrix Composites. *Materials Science and Engineering A* 279 (2000) 266-274.
48. Hockensmith, C. M.; Goldsby, J. C.; and Kacik, T.: Thermal Studies of New Precursors to Indium-Tin Oxides for Use as Sensor Materials in the Detection of NO<sub>x</sub>. *Thermochimica Acta* (1999) 315-322.
49. Good, B.; Abel, P.; and Bozzolo, G.: Surface Segregation in Ternary Alloys. *Surf. Sci.* 456 (2000) 602-607. Also NASA/TM—2000-209958.
50. Gyekenyesi, J. Z. and Bansal, N. P.: High Temperature Mechanical Properties of Hi-Nicalon Fiber-Reinforced Celsian Composites. Presented at 101st Annual Meeting of The American Ceramic Society, Indianapolis, Ind., April 25-28, 1999. *Advances in Ceramic Matrix Composites V* (N. P. Bansal, J. P. Singh, and E. Ustundag, Eds.), Am. Ceram. Soc., Westerville, Ohio. *Ceramic Transactions*, vol. 103, pp. 291-306 (2000).
51. Gyekenyesi, J. Z. and Bansal, N. P.: High Temperature Tensile Properties of Unidirectional Hi-Nicalon/Celsian Composites in Air. NASA/TM—2000-210214, July 2000.

52. Halbig, M. C.: The Oxidation Kinetics of Continuous Carbon Fibers in a Cracked Ceramic Matrix Composite. Master of Science Thesis, Case Western Reserve University, Cleveland, Ohio, May 2000.
53. Halbig, M. C. and Cawley, J. D.: Modeling the Environmental Effects on Carbon Fibers in a Ceramic Matrix at Oxidizing Conditions. Proceedings of the 24th Annual Cocoa Beach Conference and Exposition: An International Conference on Engineering Ceramics and Structures, Cocoa Beach, Fla., Jan. 23-28, 2000. Also NASA/TM—2000-210223, ARL-TR-2195.
54. Halbig, M. C. and Cawley, J. D.: Modeling the Oxidation Kinetics of Continuous Carbon Fibers in a Ceramic Matrix. NASA/TM—2000-209651, ARL-TR-2095, Jan. 2000.
55. Halbig, M. C. and Eckel, A. J.: Oxidation of Continuous Carbon Fibers within a Silicon Carbide Matrix under Stressed and Unstressed Conditions. Proceedings of the 24th Annual Conference on Composites, Materials and Structures, Cape Canaveral, Fla., Jan. 24-27, 2000 (restricted session). Also NASA/TM—2000-210224, ARL-TR-2194.
56. Halbig, M. C.; Brewer, D. N.; and Eckel, A. J.: Degradation of Continuous Fiber Ceramic Matrix Composites under Constant-Load Conditions. NASA/TM—2000-209681, ARL-TR-2094, Jan. 2000.
57. Hebsur, M. G.: MoSi<sub>2</sub>-Base Hybrid Composites for Aeroengine Applications. Proceedings of International Symposium on Materials Aging, Kalpakkam, India, Oct. 3-6, 2000.
58. Hebsur, M. G.: Tough, Strong and Pest Resistant MoSi<sub>2</sub>-Si<sub>3</sub>N<sub>4</sub> Composites. United States Patent No. 09-500497, February 9, 2000.
59. Hebsur, M. G.: Oxidation Resistant and Low Coefficient of Thermal Expansion NiAl-CoCrAly Alloy. United States Patent No. 09-675,846, Sept. 29, 2000.
60. Wolfenden, A.; Spann, K. J.; and Hebsur, M. G.: Experimental Investigation of Vibration Damping and Dynamic Young's Modulus in MoSi<sub>2</sub> and MoSi<sub>2</sub>-50Si<sub>3</sub>N<sub>4</sub>/SCS-6 at Elevated Temperatures. Journal of Advanced Materials, vol. 32, no. 4, Oct. 2000, pp. 66-70.
61. Heimann, P. J. and Effinger, M. R.: Summarization of C/SiC Materials. Proceedings of the 24th Annual Conference on Ceramics, Metal & Carbon Composites, Materials and Structures (ITAR Restricted Sessions), Cocoa Beach, Fla., Jan. 24-28, 2000, Paper L02 [ITAR Document].
62. Howard, S. A.; DellaCorte, C.; and Valco, M. J.: System Being Developed to Measure the Rotordynamic Characteristics of Air Foil Bearings. Research & Technology 1999, NASA/TM—2000-209639, April 2000, pp. 17-18.
63. Hurwitz, F. I.: Suspension of SiC Powders in Allylhydridopolycarbosilane (AHPCS): Control of Rheology. Ceram. Eng. Sci. Proc. 21(4) 45-52 (2000).

64. Hurwitz, F. I.; Wheeler, D. R.; Chayka, P.V.; Xu, C.; McCue, T. R.; and Chen, Y. L.: BN and SiBN Fiber Coatings via CVD using a Single Source, Liquid Precursor Based on Borazine. *Ceram. Eng. Sci. Proc.* 21(4) 267-274 (2000).
65. Jacobson, N. S.: Formation of Leading-Edge Pinholes in the Space Shuttle Investigated. *Research & Technology* 1999, NASA/TM—2000-209639, April 2000, pp. 24-26.
66. Jansen, M. J.; Jones, W. R., Jr.; Pepper, S. V., Wheeler, D. R.; Schroer, A.; Fluhmann, F.; Loewenthal, S. H.; and Shogrin, B. A.: The Effect of TiC Coated Balls and Stress on the Lubricant Lifetime of a Synthetic Hydrocarbon (Pennzane 2001A) using a Vacuum Spiral Orbit Tribometer. NASA/TM—2000-210525, Oct. 2000.
67. Jansen, M. J.; Jones, W. R., Jr.; Wheeler, D. R.; and Keller, D. J.: Evaluation of Non-Ozone-Depleting-Chemical Cleaning Methods for Space Mechanisms Using a Vacuum Spiral Orbit Rolling Contact Tribometer. NASA/TM—2000-210050, May 2000.
68. Herrera-Fierro, P.; Shogrin, B. A.; and Jones, W. R., Jr.: Spectroscopic Analysis of Perfluoropolyether Lubricant Degradation During Boundary Lubrication. Presented as a Society of Tribologists and Lubrication Engineers Paper at the World Tribology Congress in London, UK, Sept. 8-12, 1997, published Feb. 2000.
69. Jones, W. R., Jr. and Jansen, M. J.: Space Tribology. NASA/TM—2000-209924, March 2000.
70. Jones, W. R., Jr.; Pepper, S. V.; Jansen, M. J.; Nguyen, Q.; Kingsbury, E. P.; Loewenthal, S. H.; and Predmore, Roamer E.: A New Apparatus to Evaluate Lubricants for Space Applications — The Spiral Orbit Tribometer (SOT). International Spring Fuels & Lubricants Meeting & Exposition, Paris, France, June 19-22, 2000. Also NASA/TM—2000-209935, March 2000.
71. Jones, W. R., Jr.; Shogrin, B. A.; and Jansen, M. J.: Research on Liquid Lubricants for Space Mechanisms. *Journal of Synthetic Lubrication*, vol. 17, no. 2, July 2000.
72. Thompson, P. M.; Jones, W. R., Jr.; Jansen, M. J.; and Prahl, J. M.: The Effect of Sliding Speed on Film Thickness and Pressure Supporting Ability of a Point Contact under Zero Entrainment Velocity Conditions. NASA/TM—2000-210566, Dec. 2000.
73. Kiser, J. D.; Singh, M.; and Lei, J.-F.: Development of Attachments for Positioning Sensor Lead Wires on SiC-Based Components. Proceedings from Materials Solutions Conference '99 on Joining of Advanced and Specialty Materials, Nov. 1-4, 1999, Cincinnati, Ohio, pp. 34-39, ed. By M. Singh, J. E. Indacochea, J. N. DuPont, K. Ikeuchi, and J. Martinez-Fernandez (printed April 2000).
74. Lei, J.-F.; Kiser, J. D.; Singh, M.; Cuy, M. D.; Blaha, C. A.; and Androjna, D.: Durability Evaluation of a Thin Film Sensor System with Enhanced Lead Wire Attachments on SiC/SiC Ceramic Matrix Composites. NASA TM—2000-209917, March 2000.

75. Effinger, M. R.; Genge, G. G.; and Kiser, J. D.: Ceramic Composite Turbine Disks for Rocket Engines. *Advanced Materials & Processes*, vol. 157 [6] pp. 69-73 (2000).
76. Petervary, M.; Straub, A.; Flintoff, J.; Mitchell, M.; Kiser, J. D.; and Gray, P.: Performance of Melt Infiltrated C/SiC Air Foils. *Proceedings of the 24th Annual Conference on Ceramics, Metal & Carbon Composites, Materials and Structures (ITAR Restricted Sessions)*, Cocoa Beach, Fla., Jan. 24-28, 2000, Paper L02.
77. Effinger, M. R.; Clinton, R. G., Jr.; Kiser, J. D.; Levine, S. R.; and Katz, A. P.: May 6, 1999 C/SiC Workshop Follow-up. *Proceedings of the 24<sup>th</sup> Annual Conference on Ceramics, Metal & Carbon Composites, Materials and Structures (ITAR Restricted Sessions)*, Cocoa Beach, Fla., Jan. 24-28, 2000, Paper J01.
78. Clinton, R. G., Jr.; Effinger, M. R.; Levine, S. R.; Kiser, J. D.; and Katz, A. P.: C/SiC Planning Workshop: Identification of Efforts Required to Mature C/SiC to Launch Vehicle Readiness. *May 6, 1999 Conference Proceedings*, NASA CP—2000-209903, MSFC, Jan. 2000.
79. Levine, S. R.; Calomino, A. M.; Ellis, J. R.; Halbig, M. C.; Mital, S. K.; Murthy, P. L.; Opila, E. J.; Thomas, D. J.; Thomas-Ogbuji, L. U.; and Verrilli, M. J.: Life Prediction for C/SiC Ceramic Matrix Composites. *Proceedings of the 24th Annual Conference on Composites, Materials and Structures*, Cape Canaveral, Fla., Jan. 24-27, 2000 (restricted session).
80. Levine, S. R.; Calomino, A. M.; Ellis, J. R.; Halbig, M. C.; Mital, S. K.; Murthy, P. L.; Opila, E. J.; Thomas, D. J.; Thomas-Ogbuji, L. U.; and Verrilli, M.J.: Ceramic Matrix Composites (CMC) Life Prediction Method Development. *NASA/TM—2000-210052*, May 2000.
81. Locci, I. E.; Brady, M. P.; Smialek, J. L.; and Retallick, W. B.: Very Long Term Oxidation of Titanium Aluminides Investigated. *Research and Technology 1999*, NASA/TM—2000-209639, April 2000, pp. 6-7.
82. Jimenez-Pique, E.; Dominguez-Rodriguez, A.; Martinez-Fernandez, J.; Lara-Curzio, E.; and Singh, M.: Microstructure and Mechanical Properties of Superplastically Joined Yttria-Partially-Stabilized Zirconia (Y-PSZ) Ceramics. *Journal of European Ceramic Society* 20 (2000) 147-151.
83. Martinez-Fernandez, J. and Morscher, G. N.: Room and Elevated Temperature Tensile Properties of Single Tow Hi-Nicalon, Carbon Interphase, CVI SiC Matrix Minicomposites. *J. European Ceram. Soc.*, 20 (2000) 2627-2636.
84. Martinez-Fernandez, J.; Munoz, A.; Varela-Feria, F. M.; and Singh, M.: Interfacial and Thermomechanical Characterization of Reaction Formed Joints in Silicon Carbide-Based Materials. *Journal of the European Ceramic Society* 20 (2000) 2641-2648.
85. Martinez-Fernandez, J.; Valera-Feria, F. M.; and Singh, M.: High Temperature Compressive Mechanical Behavior of Biomorphic Silicon Carbide Ceramics. *Scripta Materialia* 43 (2000) 813-818.

86. Martinez-Fernandez, J.; Valera-Feria, F. M.; Dominguez Rodriguez, A.; and Singh, M.: Microstructure and Thermomechanical Characterization of Biomorphic Silicon Carbide-Based Ceramics. 39th Annual Conference of Metallurgists of CIM, August 20-23, 2000, Ottawa, Ontario, Canada, Proceedings of the International Symposium, Environment Conscious Materials - Ecomaterials, Ed., H. Mostaghaci, pp. 733-740.
87. Munoz, A.; Martinez-Fernandez, J.; Varela-Feria, F. M.; and Singh, M.: Effect of Joint Microstructure and Composition on the Mechanical Behavior of Reaction Formed Joints in Silicon Carbide-Based Ceramics. Proceedings from Materials Solutions Conference '99 on Joining of Advanced and Specialty Materials, 1-4 Nov. 1999, Cincinnati, Ohio, pp. 25-33 (2000).
88. deGroh, K. K. and McCue, T. R.: Contaminated Solar Array Handrail Samples Retrieved from Mir Analyzed. Research & Technology 1999, NASA/TM—2000-209639, April 2000, pp. 46-47.
89. Meador, M. A. B., and Frimer, A. A.: Approaches to New Endcaps for Improved Oxidation Resistance. Polymer Preprints, 41(1), 283 (2000).
90. Meador, M. A.: Resin Transfer Moldable Polyimides Developed for High-Temperature Applications. Research & Technology 1999, NASA/TM—2000-209639, April 2000, pp. 20-21.
91. Miller, R. A.; Zhu, D.; Goedjen, J. G.; and Calomino, A. M.: Thermal Fatigue Behavior of Layer-Graded Thick Thermal Barrier Coating Systems. Ceram. Eng. Sci. Proc. 21-4 (2000) 635-643.
92. Miyoshi, K.: Solid Lubrication Fundamentals and Applications. NASA/TM—2000-107249/Chapter 6, Dec. 2000.
93. Miyoshi, K.: Diagnostic Techniques Used to Study Chemical-Vapor-Deposited Diamond Films. Research & Technology 1999, NASA/TM—2000-209639, April 2000, pp. 26-27.
94. Miyoshi, K.: Aerospace Mechanisms and Tribology Technology Case Study. Special Issue on Vacuum Tribology. Tribology International 32 (1999) 673-685.
95. Miyoshi, K.: Considerations in Vacuum Tribology (Adhesion, Friction, Wear, and Solid Lubrication in Vacuum). Special Issue on Vacuum Tribology. Tribology International 32 (1999) 605-616.
96. Miyoshi, K.: Diamondlike Carbon Films: Tribological Properties and Practical Applications. Special Issue on Environmental Durability of Diamondlike and Diamond Films and Coatings. New Diamond and Frontier Carbon Technology, vol. 9, no. 6, (1999) 381-394.
97. Miyoshi, K. (Guest Editor): Preface, Special Issue on Environmental Durability of Diamondlike and Diamond Films and Coatings. New Diamond and Frontier Carbon Technology, vol. 9, no. 6 (1999).

98. Miyoshi, K. (Guest Editor): Special Issue on Vacuum Tribology. *Tribology International* 32 (1999).
99. Miyoshi, K.; Iwaki, M.; Gotoh, K.; Obara, S.; and Imagawa, K.: Friction and Wear Properties of Selected Solid Lubricating Films. Part 3: Magnetron-Sputtered and Plasma-Assisted, Chemical-Vapor-Deposited Diamondlike Carbon Films. NASA/TM—2000-209088/PART 3, June 2000.
100. Miyoshi, K.; Iwaki, M.; Gotoh, K.; Obara, S.; and Imagawa, K.: Friction and Wear Properties of Selected Solid Lubricating Films. Part 2: Ion-Plated Lead Films. NASA/TM—2000-209088/PART2, May 2000.
101. Morscher, G. N.: Growth of Matrix Cracks During Intermediate Temperature Stress Rupture of a SiC Composite in Air. *Ceram. Eng. Sci. Proc.*, 21 [3] 423-431 (2000).
102. Morscher, G. N.: Modal Acoustic Emission Source Determination in Silicon Carbide Matrix Composites. Review of Progress in Quantitative Nondestructive Evaluation, eds. D. O. Thompson and D. E. Chimenti, CP 509, American Institute of Physics, pp. 383-390 (2000).
103. Morscher, G. N.; Gyekenyesi, J. Z.; and Bhatt, R. T.: Damage Accumulation in Woven SiC/SiC Composites. Environmental, Mechanical, and Thermal Properties and Performance of Continuous Fiber Ceramic Composite (CFCC) Materials and Components, ASTM STP 1392, M. G. Jenkins, Ed., American Society for Testing and Materials, West Conshohocken, Penn., 2000, pp. 306-319.
104. Morscher, G. N.; Hurst, J.; and Brewer, D.: Intermediate-Temperature Stress Rupture of a Woven Hi-Nicalon, BN-Interphase, SiC-Matrix Composite in Air. *J. Am. Ceram. Soc.*, 83 [6] 1441-49 (2000).
105. Nesbitt, J. A.: Thermal Modeling of Various Thermal Barrier Coatings in a High Heat Flux Rocket Engine. *Surface and Coatings Technology* 130 (2000) 141-151.
106. Nesbitt, J. A.: COSIM—A Finite-Difference Computer Model to Predict Ternary Concentration Profiles Associated with Oxidation and Interdiffusion of Overlay-Coated Substrates. NASA/TM—2000-209271, Aug. 2000.
107. Nesbitt, J. A.; Barrett, C. A.; and Darolia, R.: Cyclic Oxidation of Single-Crystal NiAl-X Alloys. *Electrochemical Society Proceedings*, vol. 99-38, 192-203, 2000.
108. Nesbitt, J. A.; Draper, S. L.; and Barrett, C. A.: Cyclic Oxidation of FeCrAlY/Al<sub>2</sub>O<sub>3</sub> Composites. *Materials at High Temperatures* 17(1) 139-147, 2000.
109. Nguyen, B. N.; Eby, R. K.; and Meador, M. A.: High Temperature PMR-Type Polyimides with Branched Structure: Synthesis and Characterization. *Polymer Preprints* 2000 4 (1) 225-226.

110. Mills, M. J.; Viswanathan, G. B.; Srinivasan, R.; Savage, M. F.; Noebe, R. D.; and Daw, M.S.: Dislocation-Structure and Deformation-Behavior of Intermetallic Compounds. Multiscale Phenomenon in Materials-Experiments and Modeling 2000, edited by I. M. Robertson, et al., MRS Proc., vol. 578, pp. 169-179 (2000).
111. Thomas-Ogbuji, L. U.: Interphase Oxidation and Composite Degradation in SiC-Matrix Composites. Ceramic Engineering and Science Proceedings, vol. 21, pp. 477-484, Issue #3 (ed. T. Jessen and E. Ustundag), The American Ceramic Society, Westerville, Ohio, 2000.
112. Thomas-Ogbuji, L. U. and Humphrey, D. L.: Oxidation Behavior of GRCop-84 (Cu-8Cr-4Nb) at Intermediate and High Temperatures. NASA/CR—2000-210369, Aug. 2000.
113. Thomas-Ogbuji, L. U. J.: Silicon-Based Ceramic Matrix Composites for Advanced Turbine Engines: Some Degradation Issues. Parsons 2000: Advanced Materials for 21st Century Turbines and Power Plan, pp. 767-778, A. Strang et al. (eds.), Cambridge University Press, UK, 2000.
114. McNallan, M.; Opila, E.; Maruyama, T.; and Narita, T., eds.: High Temperature Corrosion and Materials Chemistry. Proceedings of the Per Kofstad Memorial Symposium, vol. 99-38, The Electrochemical Society, Inc., 2000.
115. Metcalfe, A. G.; Elsner, N. B.; Allen, D. T.; Wuchina, E.; Opeka, M.; and Opila, E.: Oxidation of Hafnium Diboride. Electrochemical Society Proceedings, vol. 99-38, 489-501.
116. Opila, E. J.: Paralinear Oxidation of SiC and  $\text{Si}_3\text{N}_4$  in Combustion Environments. Oxide Films, pp. 425-436, eds. K. R. Hebert, R. S. Lillard, B. R. MacDougall, The Electrochemical Society, Pennington, N.J., 2000.
117. Opila, E. J. and Jacobson, N. S.: Corrosion of Ceramic Materials. Material Science and Technology, Corrosion and Environmental Degradation, vol. 2, pp. 327-388, ed. M. Schutze, Wiley-VCH, Weinheim, Germany, 2000.
118. Opila, E. J. and Robinson, R. C.: The Oxidation Rate of SiC in High Pressure Water Vapor Environments. Electrochemical Society Proceedings, vol. 99-38, 398-406.
119. Radil, K.: The Influence of Honing on the Wear of Ceramic Coated Piston Rings and Cylinder Liners. NASA/TM—2000-209794, ARL-TR-2089, Feb. 2000.
120. Raj, S. V. and Freed, A. D.: A Phenomenological Description of Primary Creep in Class M Materials. Materials Science & Engineering A283 (2000) 196-202.
121. Raj, S. V. and Ghosn, L. J.: Effect of Fiber Volume Fraction on the Fracture Behavior of Nb-1 Wt Pct Zr/218W Composites at Elevated Temperatures. Metallurgical and Materials Transactions A, vol. 31A, March 2000, 873-887.

122. Robinson, R. C. and Hatton, K. S.: Turbine Airfoil with CMC Leading-Edge Concept Tested under Simulated Gas Turbine Conditions. *Research & Technology* 1999, pp. 28-29. Also NASA/TM—2000-209639, April 2000.
123. Shin, E. E.; Morgan, R. J.; Zhou, J.; Sutter, J. K.; and Meador, M. A. B.: High Temperature Polymer Matrix Composites Performance Characterization in Aerospace Environments. *Proceedings of the American Society for Composites - Fifteenth Technical Conference*, Sept. 25-27, 2000, College Station, Texas, pp. 1081-1093.
124. Ed., Vianco, P. T. and Singh, M.: Advanced Brazing and Soldering Technologies. *International Brazing & Soldering Conference Proceedings*, April 2-5, 2000, Albuquerque, N.M. Cosponsored by American Welding Society, ASM International.
125. Eds., Singh, M.; Indacochea, J. E.; DuPont, J. N.; Ikeuchi, K.; and Martinez-Fernandez, J.: Joining of Advanced and Specialty Materials II. *Conference Proceedings from Materials Solutions '99*, Nov. 1-4, 1999, sponsored by ASM International (2000).
126. Indacochea, J. E.; Zhou, Z.; and Singh, M.: Characterization of Braze Joints of Silicon Carbide and Carbon-Fiber Reinforced Silicon Carbide Composites. *Advanced Brazing and Soldering Technologies*, ed. By P. T. Vianco and M. Singh, American Welding Society and ASM International (2000), April 2000, pp. 330-337.
127. Lara-Curzio, E. and Singh, M.: The Time Dependent Deformation of Carbon Fiber-Reinforced Melt-Infiltrated Silicon Carbide Ceramic Matrix Composites: Stress-Rupture and Stress-Relaxation Behavior in Air at 1000° C. *Mechanical, Thermal and Environmental Testing and Performance of Ceramic Composites and Components*, Michael G. Jenkins, Edgar Lara-Curzio, and Stephen T. Gonczy, eds., ASTM Stock Number: STP1392, 2000.
128. Lara-Curzio, E. and Singh, M.: High-Temperature Interlaminar Shear Strength of Hi-Nicalon™ Fiber-Reinforced MI-SiC Matrix Composites with BN/SiC Fiber Coating. *Journal of Materials Science Letters* 19 (2000) 657-661.
129. Lewinsohn, C. A.; Singh, M.; Shibayama, T.; Hinoki, T; Ando, M.; Katoh, Y.; and Kohyama, A.: Joining of Silicon Carbide Composites for Fusion Energy Applications. *J. Nuc. Mater.*, 283-287, 1258-1261 (2000).
130. Lin, H.; Becher, P. F.; and Singh, M.: Lifetime Response of a Hi-Nicalon TM Fiber-Reinforced Melt-Infiltrated SiC Matrix Composite. *Advances in Ceramic-Matrix Composites V*, pp. 343-351(2000).
131. Singh, M.: A New Approach to Joining of Silicon Carbide-Based Materials for High Temperature Applications. *Industrial Ceramics*, vol. 19, no. 3, 1999, pp. 171-172.
132. Singh, M.: Environment Conscious Ceramics (Ecoceramics). *24th Annual Conference on Composites, Advanced Ceramics, Materials, and Structures: B*, vol. 21, Issue 4, 2000, ed. by T. Jessen and E. Ustundag.

133. Singh, M.: Joint Design and Testing Issues in Reactively Joined SiC-Based Ceramics and Composites. Advanced Brazing and Soldering Technologies, ed. By P. T. Vianco and M. Singh, American Welding Society and ASM International (2000), April 2000, pp. 322-329.
134. Singh, M.: Affordable, Robust Ceramic Joining Technology (ARCJoinT) Given 1999 R&D 100 Award. Research & Technology 1999, NASA/TM—2000-209639, April 2000 pp. 16-17.
135. Singh, M. and Lara-Curzio, E.: Design, Fabrication, and Testing of Ceramic Joints for High Temperature SiC/SiC Composites. NASA/CR—2000-209809, March 2000.
136. Song, H.; Tewari, N.; and Singh, M.: Degradation of Aluminum Alloy-Carbon Composites Due to Humidity. Journal of Materials Science Letters 19 (2000) 209-211.
137. Trehan, V.; Indacochea, J. E.; Singh, M.; Lugscheider, E.; and Buschke, I.: Silicon Carbide Brazing and Joint Characterization. Journal of the Mechanical Behaviour of Materials, vol. 10, nos. 5-6, 1999, pp. 341-352.
138. Wolfenden, A.; Burris, C. P.; and Singh, M.: Young's Modulus and Vibrational Damping of Sintered Silicon Carbide Ceramics at High Temperatures. Journal of Materials Science Letters 18 (1999) 1995-1997.
139. Hou, P. Y. and Smialek, J. L.: The Effect of H<sub>2</sub>-anneal on the Adhesion of Al<sub>2</sub>O<sub>3</sub> Scales on a Fe<sub>3</sub>Al-Based Alloy. Materials at High Temperatures 17(1) 79-85, March 2000.
140. Smialek, J. L.: Nonprotective Alumina Growth in Sulfur-Doped NiAl (Zr). Materials at High Temperatures 17(1) 71-77, March 2000. Also NASA/TM—2000-209800, March 2000.
141. Smialek, J. L.: Maintaining Adhesion of Protective Al<sub>2</sub>O<sub>3</sub> Scales. JOM, vol. 52, no. 1, Jan. 2000, pp. 22-25.
142. Smialek, J. L. and Pint, B. A.: Optimizing Scale Adhesion on Single Crystal Superalloys. NASA/TM—2000-210362, Aug. 2000.
143. Smialek, J. L.; Nesbitt, J. A.; Barrett, C. A.; and Lowell, C. E.: Cyclic Oxidation Testing and Modelling: A NASA Lewis Perspective. The European Federation of Corrosion, Cyclic Oxidation of High Temperature Materials, Institute of Materials, London (1999), M. Schutze and W. J. Quadakkers, pp. 148-168. Also NASA TM 2000—209769, Feb. 2000.
144. Easterling, D.; Hovanitz, E.; and Street, K. W.: Comparison of the Adsorbed Mercury Screening Method with Cold Vapor Atomic Absorption Spectrophotometry for Determination of Mercury in Soil. Anal. Lett., 33(8) 1669-1689 (2000). NASA TM—2000-209642, March 2000.
145. Hill, C. M.; Street, K. W.; Philipp, W. H.; and Tanner, S. P.: Preparation of Ion Exchange Films for Solid Phase Spectrophotometry and Solid Phase Fluorometry. Anal. Lett. 33 (13) 2779-2792. NASA TM—2000-209291, March 2000.

146. Street, K. W.: Surface Coatings in Egyptian Art Characterized Through Spectroscopy. Research & Technology 1999, NASA/TM—2000-209639, April 2000, pp. 18-19.
147. Tanner, S. P. and Street, K. W., Jr.: Solid Phase Luminescence of Several Rare Earth Ions on Ion-Exchange Films. Appl. Spectr., 54 (5), 669-75 (2000).
148. Adamovsky, G.; Lekki, J.; Sutter, J. K.; Sarkisov, S. S.; Curley, M. J.; and Martin, C. E.: Smart Microsystems with Photonic Element and their Applications to Aerospace Platforms. NASA/TM—2000-210607, Dec. 2000.
149. Castelli, M. G.; Sutter, J. K.; and Benson, D.: Durability and Damage of a Polyimide/Chopped Fiber Composite Subjected to Thermomechanical Fatigue Missions and Creep Loadings: Time-Dependent Effects in Polymers and Composites. ASTM STP 1357, R. A. Schapery and C. T. Sun, Eds., American Society for Testing and Materials, 2000, pp. 285-309.
150. deGroh, K. K.; Gaier, J. R.; Hall, R. L.; Espe, M. P.; Cato, D. R.; Sutter, J. K.; and Scheiman, D. A.: Insights into the Damage Mechanism of Teflon® FEP from the Hubble Space Telescope . High Performance Polymers, vol. 12(1)2000 pp. 83-104.
151. Sutter, J. K.: Erosion Coatings for High-Temperature Polymer Composites: A Collaborative Project with Allison Advanced Development. Research & Technology 1999, NASA/TM—2000-209639, April 2000, pp. 22-23.
152. Sutter, J. K.; Allred, R. E.; and Harrah, L. A.: Antioxidant Fiber Finishes for Polyimide-Matrix Composites. NASA Tech Briefs, vol. 24 (7) 2000 p. 54.
153. Verrilli, M. J. and Lee, Kuan: Post Test Evaluation of HSCT Nozzle Acoustic Liner Subcomponents Subjected to a Hot Acoustic Durability Test. NASA TM (red cover, number to be assigned in 2005) #HSR075, June 2000.
154. Verrilli, M.; Kantzos, P.; and Telesman, J.: Characterization of Damage Accumulation in a Carbon Fiber-Reinforced Silicon Carbide Ceramic Matrix Composite (C/SiC) Subjected to Mechanical Loadings at Intermediate Temperature. Standard Technical Publication 1392, 2000, American Society for Testing and Materials, pp. 245-261.
155. Whittenberger, J. D.; Grahle, P.; Behr, R.; Arzt, E.; and Hebsur, M. G.: Elevated Temperature Compressive Strength Properties of Oxide Dispersion Strengthened NiAl after Cryomilling and Roasting in Nitrogen. Materials Science and Engineering A291 (2000) 173-185.
156. Whittenberger, J. D.; Locci, I. E.; Darolia, R.; and Bowman, R. R.: Creep Properties of NiAl-1Hf Single Crystals Re-Investigated. Research & Technology 1999, NASA/TM—2000-209639, April 2000, pp. 9-10.
157. Whittenberger, J. D.; Raj, S. V.; Locci, I. E.; and Salem, J. A.: Directionally Solidified NiAl-Based Alloys Studied for Improved Elevated-Temperature Strength and Room-Temperature Fracture Toughness. Research & Technology 1999, NASA/TM—2000-209639, April 2000, pp. 8-9.

158. Choi, S. R.; Zhu, D.; and Miller, R. A.: Strengths and Deformation of Single Crystal Oxides at Ambient and Elevated Temperatures for Refractive Solar Concentrator Applications. *Ceram. Eng. Sci. Proc.* 21-4 (2000) 397-405.
159. Choi, S. R.; Zhu, D.; and Miller, R. A.: Deformation and Strength Behavior of Plasma-Sprayed  $\text{ZrO}_2$ -8wt.% $\text{Y}_2\text{O}_3$  Thermal Barrier Coatings in Biaxial Flexure and Tran-Thickness Tension. *Ceram. Eng. Sci. Proc.*, 21-4 (2000) 653-661.
160. Zhu, D. and Miller, R. A.: Thermal Conductivity Change Kinetics of Ceramic Thermal Barrier Coatings Determined by the Steady-State Laser Heat Flux Technique. *Research & Technology* 1999, NASA/TM—2000-209639, April 2000, pp. 29-31.
161. Zhu, D. and Miller, R. A.: Thermophysical and Thermomechanical Properties of Thermal Barrier Coating Systems. *Ceram. Eng. Sci. Proc.*, 21 (2000) 623-633. NASA/TM—2000-210237, July 2000.
162. Zhu, D. and Miller, R. A.: Thermal Conductivity and Elastic Modulus Evolution of Thermal Barrier Coatings under High Heat Flux Conditions. *Journal of Thermal Spray Technology*, 9 (2) June 2000, pp. 175-180.
163. Zhu, D. and Miller, R. A.: Thermal Barrier Coatings for Advanced Gas Turbines. *MRS Bulletin*, 25, no. 7 July 2000, pp. 43-47.
164. Zhu, D.; Choi, S. R.; Jacobson, N. S.; and Miller, R. A.: Determination of Thermal Conductivity of Single Crystal Oxides using a Steady-State Laser Heat Flux Approach. *Ceram. Eng. Sci. Proc.* 21-3 (2000) 187-194.
165. Zhu, D.; Miller, R. A.; Nagaraj, B. A.; and Bruce, R. W.: Thermal Conductivity of EB-PVD Thermal Barrier Coatings Evaluated by a Steady-State Laser Heat Flux Technique. NASA/TM—2000-210238, July 2000.

<b>Appendix A Authors List</b>		Freed	120
Abel	1,24,26,49	Frimer	89
Angel	7	Gabb	37,38,39,40
Alston	2,3,4,5,6	Gahn (Sivko)	2,4,5,6
Babuder	20	Garg	37
Bansal	8,9,10,11,12,13, 14,15,16,50,51	Gariepy	41
Barrett	107,108,143	Gayda	39,42,43,44
Bhatt	17,18,19,20,21,103	Goldsby	45,46,47,48
Bowles	22	Good	49
Bowman	156	Gyekenyesi	19,50,51,103
Bozzolo	23,24,25,26,27,28,49	Halbig	45,52,53,54,55,56,79,80
Brady	81	Hann	36
Cawley	53,54	Hebsur	18,57,58,59,60,155
Chen	11,64	Heimann	61
Cuy	74	Herrera-Fierro	68
DellaCorte	62	Honecy	25
DiCarlo	29,30	Howard	62
Draper	31,32,108	Hull	20
Eckel	33,55,56	Humphrey	112
Eldridge	20	Hurst	19,104
Ellis	34,37	Hurwitz	63,64
Farmer	35	Jacobson	65,117,164
Fox	36	Jansen	66,67,69,70,71,72

Jones	66,67,68,69,70,71,72	Raj	120,121,157
Kacik	48	Robinson	118,122
Kingsbury	70	Sayir	35
Kiser	73,74,75,76,77,78	Scheiman	3,4,5,6,150
Levine	77,78,79,80	Setlock	8
Locci	81,157	Shin	123
Lowell	143	Shogrin	66,68,71
Martinez-Fernandez	82,83,84,85,86,87,125	Singh	73,74,82,84,85,86,87,124, 125,126,127,128,129,130, 131,132,133,134,135, 136,137,138
Meador, M.	41,90,109	Smialek	81,139,140,141,142,143
Meador, M.A.B.	41,89,123	Street	144,145,146,147
Miller	91,158,159,160,161,162, 163,164,165	Sutter	123,148,149,150,151,152
Miyoshi	92,93,94,95,96,97,98,99,100	Sweeney	38,39
Morscher	83,101,102,103,104	Thomas-Ogbuji	79,80,111,112,113
Nathal	31	Verrilli	79,80,153,154
Nesbitt	105,106,107,108,143	Wheeler	11,64,66,67
Nguyen, B.	109	Whittenberger	157
Nguyen, Q.	70	Yun	29
Noebe	23,25,110	Zhu	91,158,159,160,161,162, 163,164,165
Opila	36,79,80,114,115,116, 117,118		
Pepper	66,75		
Philipp	145		
Radil	119		

## **Appendix B Subject Matter**

Superalloys	TBC's 91, 105, 159, 160, 161, 162, 163, 165
37, 38, 39, 40, 42, 43, 44, 141, 142, 143	
Other Metals	Coatings 20, 59, 62, 64, 92, 93, 96, 97, 98, 99, 100, 101, 106, 119, 151, 157, 163, 165
34, 95, 112, 121, 124, 125	
Intermetallics	Materials Characterization 1, 12, 13, 14, 17, 18, 19, 20, 34, 35, 37, 38, 39, 40, 45, 46, 47, 57, 58, 60, 61, 79, 81, 82, 83, 87, 93, 94, 95, 98, 101, 102, 103, 104, 123, 125, 126, 127, 128, 129, 130, 133, 135, 136, 138, 146, 153, 155, 158, 159, 162, 164, 165
23, 25, 26, 27, 28, 31, 32, 49, 57, 58, 59, 60, 81, 107, 112, 139, 140, 141, 143, 155, 156, 157	
Fibers	Materials Applications 31, 32, 48, 94, 96, 124, 125, 145, 147, 153
11, 64, 149, 152	
Ceramics	Lubricants/Lubrication 62, 66, 67, 68, 69, 70, 71, 72, 92, 94, 96, 99, 100
7, 9, 15, 33, 35, 36, 48, 65, 73, 74, 75, 76, 77, 78, 82, 84, 85, 86, 87, 95, 115, 116, 117, 118, 119, 124, 125, 126, 131, 132, 133, 134, 137, 138, 158, 159, 164	
Composites, Metal/Intermetallic	Surfaces/Interfaces 1, 20, 24, 26, 27, 28, 49, 81, 88, 93, 95, 98, 99, 100, 139, 140, 142
57, 58, 60, 108, 121, 136	
Composites, Polymer	General Reviews 61, 117, 141, 143, 161, 163
2, 3, 4, 5, 6, 22, 123, 149, 151, 152	
Composites, Ceramic	Other 1, 21, 73, 119, 120, 144, 148
8, 9, 10, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 29, 30, 33, 50, 51, 52, 53, 54, 55, 56, 61, 63, 73, 74, 75, 76, 77, 78, 79, 80, 83, 101, 102, 103, 104, 111, 113, 122, 124, 125, 126, 127, 128, 129, 130, 131, 133, 134, 135, 153, 154, 159	
Polymers	
2, 3, 4, 5, 6, 41, 89, 90, 109, 149, 150	
Oxidation/Corrosion	
36, 52, 53, 54, 55, 56, 59, 65, 79, 81, 83, 101, 104, 106, 107, 108, 111, 112, 113, 114, 115, 116, 117, 118, 127, 130, 139, 140, 141, 142, 143, 154, 163	